

# SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/7

# **Clinitex Hard Surface Wipes**

Revision n Revision date 2020-04-21

#### 1.1. Product identifier

Product name Clinitex Hard Surface Wipes

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Product Use** [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [SU0] Other; [PC35] Washing and cleaning products (including solvent based products);

### 1.3. Details of the supplier of the safety data sheet

Company Technical Textile Services Ltd

Address Units 7 & 8.

Rhodes Business Park,

Silburn Way, Middleton.

Manchester M24 4NE

UK

Web www.techtex.co.uk +44 (0)161 643 3000 **Telephone** 

Fax 0161 643 3037 **Email** sales@techtex.co.uk

Email address of the sales@techtex.co.uk competent person

### 1.4. Emergency telephone number

Emergency telephone number +44 (0)161 643 3000 9.00 am - 5.00 pm Mon - Fri

### SECTION 2: Hazards identification

# 2.1. Classification of the substance or mixture

2.1.2. Classification - EC Flam. Lig. 1: H224; Eye Irrit. 2: H319; STOT SE 3: H336; 1272/2008

### 2.2. Label elements

### Hazard pictograms





# Signal Word

Danger **Hazard Statement** 

Flam. Lig. 1: H224 - Extremely flammable liquid and vapour.

Eye Irrit. 2: H319 - Causes serious eye irritation.

STOT SE 3: H336 - May cause drowsiness or dizziness. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

**Precautionary Statement:** Prevention

Revision 0
Revision date 2020-04-21

#### 2.2. Label elements

Precautionary Statement:	P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.		
Response	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact		
	lenses, if present and easy to do. Continue rinsing.		
	P312 - Call a POISON CENTER/doctor/ physician /if you feel unwell.		
	P337+P313 - If eye irritation persists: Get medical advice/attention.		
	P370+P378 - In case of fire: Use alcohol resistant foam, carbon dioxide CO2 to extinguish.		

# SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

#### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Isopropanol (Propan-2-ol)	603-117-00-0	67-63-0	200-661-7		60 - 70%	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336;

# SECTION 4: First aid measures

### 4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing. Repeated exposure may cause skin dryness or cracking.
Ingestion	Rinse mouth thoroughly. DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist.

### 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system.		
	Vapours may cause drowsiness and dizziness.		
Eye contact	May cause irritation to eyes.		
Skin contact	May cause irritation to skin. Repeated exposure may cause skin dryness or cracking.		
Ingestion	Ingestion may cause nausea and vomiting.		
40 1-11-0-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1			

## 4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	If you feel unwell, seek medical advice (show the label where possible).	
Eye contact	Seek medical attention.	
Skin contact	Seek medical attention if irritation or symptoms persist.	
Ingestion	If you feel unwell, seek medical advice (show the label where possible).	

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Use extinguishing media appropriate to the surrounding fire conditions. In case of fire, use water
spray to cool containers.

# 5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

### 5.3. Advice for firefighters

Wear self contained breathing apparatus and protective clothing.

### SECTION 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area. Do not breathe gas/fumes/vapour/spray. Wear suitable protective clothing, gloves and eye/face protection. Avoid contact with skin and eyes.

Revision 0 Revision date 2020-04-21

		Nevision date 2020-04-2	
6.2. Environmental precautions			
	Do not allow product to enter drains. Prev	ent further spillage if safe.	
6.3. Methods and material for co	ntainment and cleaning up		
	Absorb with inert, absorbent material. Traspillage area thoroughly with plenty of wat	nsfer to suitable, labelled containers for disposal. Clean eer.	
6.4. Reference to other sections			
	See section 13 for further information.		
SECTION 7: Handling and st	torage		
7.1. Precautions for safe handling	g		
	Manual Handling considerations when ha	g area. Avoid contact with eyes and skin. Adopt best ndling, carrying and dispensing. Do not eat, drink or drorstored. Avoid sparks, flames, heat and sources of	
7.2. Conditions for safe storage,	including any incompatibilities		
	Keep containers tightly closed. Keep in a containers.	cool, dry, well ventilated area. Store in correctly labelled	
Suitable packaging	Keep only in the original container in a co	ol, well-ventilated place.	
7.3. Specific end use(s)			
	See section 2 for further information.		
Further information			
	See section 1.2 for further information.		
SECTION 8: Exposure contr	ols/personal protection		
8.1. Control parameters			
	Occupational exposure controls.		
8.1.1. Exposure Limit Values			
Isopropanol (Propan-2-ol)	WEL 8-hr limit ppm: 400	<b>WEL 8-hr limit mg/m3:</b> 999	
	WEL 15 min limit ppm: 500	<b>WEL 15 min limit mg/m3:</b> 1250	
	WEL 8-hr limit mg/m3 total  - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:	
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -	
	respirable dust:	respirable dust:	
8.2. Exposure controls			
8.2.1. Appropriate engineering	Keep in a cool, dry, well ventilated area. K	Geep container tightly closed	
controls	1.00p a 500i, dry, won ventilated area. Neep container agritty closed.		
8.2.2. Individual protection measures	Wear protective clothing.		
Evo / foco protection	Approved safety goggles		

Approved safety goggles.

Wear suitable protective clothing.

Wear suitable respiratory equipment when necessary.

Wear suitable gloves.

Eye / face protection

Skin protection - Other

Respiratory protection

Skin protection -

Handprotection

Revision 0 **Revision date** 2020-04-21

### 8.2. Exposure controls

Occupational exposure controls

Keep away from food, drink and animal feedingstuffs.

### SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

	1 1
Appearance	Solid
Colour	White
Odour	Alcoholic
Odour threshold	No data available
pH	No data available
Melting point	No data available
Freezing Point	No data available
Initial boiling point	No data available
Flash point	18.7 °C
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	No data available
Fat Solubility	No data available
Partition coefficient	
Autoignition temperature	No data available
•	No data available
Explosive properties	No data available

### 9.2. Other information

Conductivity No data available Surface tension No data available Gas group No data available

Oxidising properties No data available Solubility

No data available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Stable under normal conditions.

# 10.2. Chemical stability

Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

No data is available on this product.

### 10.4. Conditions to avoid

No data is available on this product.

# 10.5. Incompatible materials

Oxidizer. Strong acids. Strong bases.

# 10.6. Hazardous decomposition products

No data is available on this product.

## SECTION 11: Toxicological information

# 11.1. Information on toxicological effects

Revision 0 Revision date 2020-04-21

11.1. Information on toxicological effects			
Acute toxicity	No Significant Hazard.		
Skin corrosion/irritation	May cause irritation to skin.		
Serious eye damage/irritation	May cause irritation to eyes.		
Respiratory or skin sensitisation	Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system.		
Germ cell mutagenicity	No Significant Hazard.		
Carcinogenicity	No carcinogenic effects reported.		
Reproductive toxicity	No Significant Hazard.		
STOT-single exposure	No data is available on this product.		
STOT-repeated exposure	No data is available on this product.		
Aspiration hazard	May be harmful by ingestion, inhalation or if absorbed through the skin.		
Repeated or prolonged exposure	Exposure above the recommended occupational exposure limit (OEL) may cause adverse health effects. Repeated exposure may cause skin dryness or cracking.		
SECTION 12: Ecological info	ormation		
12.2. Persistence and degradab			
Toronocorioc and dogradab	No data is available on this product.		
12.3. Bioaccumulative potential	1 same is available on the broader.		
TZ.O. Biodocumulativo potoritar			
	No data is available on this product.		
Partition coefficient	140 data is available on this product.		
Faithful Coefficient	Olletter Hand Outton Miles on Alexander of Clabia		
	Clinitex Hard Surface Wipes No data available		
12.4. Mobility in soil			
·	No data is available on this product.		
SECTION 13: Disposal cons	iderations		
13.1. Waste treatment methods	individuone		
	Dispose of in compliance with all local and national regulations.		
Disposal methods	2 Dispose of its compilative with all local and flational regulations.		
Disposai metrious	Do not amonto into during Dispose of this material and its containants harvardous an arcainly nate		
	Do not empty into drains. Dispose of this material and its container to hazardous or special waste collection point.		
Disposal of packaging			
	Dispose of this material and its container to hazardous or special waste collection point.		
SECTION 14: Transport info			
SECTION 14: Transport info			
Hazard pictograms			
Hazard pictograms	rmation		
Hazard pictograms  14.1. UN number	rmation		
Hazard pictograms  14.1. UN number	TIME TO THE SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.		

Revision 0
Revision date 2020-04-21

	16.18.51.41.0		
14.3. Transport hazard class(es)			
ADR/RID	4.1		
Subsidiary risk	-		
IMDG	4.1		
Subsidiary risk	-		
IATA	4.1		
Subsidiary risk	<u> </u> -		
14.4. Packing group			
Packing group	П		
14.5. Environmental hazards			
Environmental hazards	No		
Marine pollutant	No		
ADR/RID			
Hazard ID	40		
Tunnel Category	(E)		
IMDG	IMDG		
EmS Code	F-A S-I		
IATA			
Packing Instruction (Cargo)	448		
Maximum quantity	50 kg		
Packing Instruction	445		
(Passenger)			
Maximum quantity	15 kg		
SECTION 15: Regulatory information			

# SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Re	gulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
		COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation,

### 15.2. Chemical safety assessment

No data is available on this product.

# **SECTION 16: Other information**

### Other information

Text of Hazard Statements in Section 3

Flam. Liq. 2: H225 - Highly flammable liquid and vapour.

Authorisation and Restriction of Chemicals (REACH).

Eye Irrit. 2: H319 - Causes serious eye irritation.

STOT SE 3: H336 - May cause drowsiness or dizziness.

### **Further information**

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in

Revision 0 Revision date 2020-04-21

Further information

combination with any other materials or in any other process.

